

40 Foot Container Movement at East Arm Wharf

Port Notice

PN/018

Work Safe. Live Safe.



VERSION CONTROL

VERSION	DATE	POSITION	NAME	REASON FOR CHANGE
0.1	17/11/2018	GMO	Ian Niblock	Initial Version
0.2	11/02/2016	GMCS	Melissa Reiter	QA Content
1.0	11/02/2016	Acting CEO	Melissa Reiter	Approval
1.1	03/04/2019	Cargo Manager	Des Blanch	Periodic Review
1.2	04/04/2019	DOM/GMO	Gary Bawden / Ian Niblock	QA Review
1.3	17/04/2019	GML	Katherine-Anne Waldron	Legal Review
1.4	18/04/2019	GMO	Ian Niblock	Final Review
1.5	18/04/2019	Executive Assistant	Alleen Breward	Branding and Format
			Alleeli blewald	Review
2.0	18/04/2019	CEO	Terry O'Connor	Approval

1. TITLE

40 Foot Container Movement on East Arm Wharf (EAW).

2. REFERENCE LEGISLATION

- Ports Management Act 2015
- Work Health & Safety (National Uniform Legislation) Act 2011

3. SCOPE

This notice applies to all stevedores, tenants, contractors and port users operating on EAW.

4. PREFACE

This Port Notice is issued pursuant to Section 57 of the Ports Management Act.

5. DIRECTION

The transport of 40-foot Containers to and from QUBE or Linx yards using top loaders and conventional forklifts is authorised to take place directly from the wharf to the adjacent tenant yards and along the wharf deck only. Below is the depiction of approved transport route.



Revision no:	2.0	Review date:	03/04/19	Reviewed by:	СМ	PN/018
Finalised date:	18/04/19	Next review:	01/03/21	Authorised by:	CEO	Page 2 of 3



Transiting of 40-foot Containers through all other areas of EAW must be carried out using appropriate trailers or tractor / tow motors.

Movement of 40-foot Containers within areas operated by tenants is at their respective discretion.

6. REVIEW STATEMENT

This direction will be reviewed biennially by the Port Management Officer.

TERRY O'CONNOR

Chief Executive Officer

Darwin Port Operations Pty Ltd

Port Operator

18 April 2019

Revision no:	2.0	Review date:	03/04/19	Reviewed by:	CM	PN/018
Finalised date:	18/04/19	Next review:	01/03/21	Authorised by:	CEO	Page 3 of 3